

LED MR11 Series



Stock No.	Product Description
LED-4110	MR11-12-2-1-SW (Soft White)
LED-4111	MR11-12-2-1-DL (Daylight)

Description:

Fully encapsulated, 12 Volt, 2 Watt, GX4 bi-pin mounting that integrates energy saving LED technology into a MR11 format. Available in Soft White (SW) and Daylight (DL).

- Standard GX4 bi-pin base allows mounting wherever MXR11 bi-pin is accepted.
- 2 Watt, 12 Volt Low Voltage operation. Fixture mounted or remote transformer required.
- Soft White SW (3000K)
- Daylight DL (5000K)
- Replaces 20W MR11 in many applications
- 1 on-board CREE LED diode
- Up to 50,000 hour lamp life
- Very low heat output
- 5 year warranty
- Not dimmable

Applications:

The LED-MR11 2W lamp has been designed to retrofit existing MR11 installations, thereby reducing maintenance and energy expenditures - and as an energy saving light source for new fixtures and installations.

- Retail display applications
- Task lighting
- Recessed downlighting
- Undercabinet lighting (especially where heat is a factor)
- Hospitality and institutional retrofit
- Underwater fixtures and applications
- Residential lighting

Technical restrictions:


Use with magnetic transformers only or approved LED electronic.

NOTE: For indoor use only in 'open air', or nearly 'open air' fixtures, such as exposed track and suspended fixtures. All LED bulbs cannot be used in fully enclosed fixtures.

Packaging:

Sub pack: 20 Master pack: 200

JOIN THE RETROFIT REVOLUTION™



Technical Specifications:

Bulb Type:	MR11	Base Type:	GX4 Bi-pin
Bulb Material:	Glass	Replaces:	20W
Lumens:	90(SW)/110(DL)	Life Time:	up to 50,000 Hrs.
Input Voltage:	12V	Output Power:	3W
Dimensions:	1-3/8" x 1-9/16"	Beam Angle:	30°
Light Source:	1 pc. CREE LED	Color:	(SW) est. 3000K (DL) est. 5000K
Luminosity:	Distance 2 feet		
CRI:	80	Lumens / Watt:	55

Note: All specification information falls within a ± 2% range

NOTE: Light Emitting Designs is providing this information to the general public. Please note that all products contained herein are trademarked, copyrighted, and/or have patents pending. Any use of these designs is strictly prohibited without prior written consent. Light Emitting Designs protects its proprietary information vigorously in the courts of the United States of America.

108 S. Wynstone Park Drive • Suite 103 • N. Barrington, IL 60010 • (847) 380-3540
 FAX: (847) 380-3542 www.led-llc.com Specs subject to change without notice. 012610_4110/4111



Light Emitting Designs
 Environmental Lighting Solutions
a division of TADD, LLC