











LEDBLOCK G3 HARD-WIRED HID RETROFIT KIT



 WARRANTY	 VOLTAGE EXTERNAL DRIVER	 OPTIONAL 10V DIM	 EFFICACY	 OPERATING TEMP	 PWR FACTOR/THD	 CRI	 OPTIONAL MOTION SENSOR	 RATED LIFE
--	---	--	---	---	--	--	--	---

extremely flexible hard-wired retrofit kit for HID fixtures



- Up to 270W to replace 1000W HID
- Patented extruded aluminum design that replaces HID, HPS, or MH lamps
- Advanced cooling and circuit design to prevent from overheating
- Perfect for wall pack, flood light, shoe box, canopy and circular high bay fixtures
- Newly designed mounting bracket allows for quick & virtually unlimited mounting options

PART #	REPLACES	W	CCT	LUMENS
RPT-LEDBLOCK-65L-750-G3	UP TO 150W	30	5000K	5100
RPT-LEDBLOCK-100L-750-G3	UP TO 175W	52	5000K	8850
RPT-LEDBLOCK-150L-750-G3	UP TO 250W	97	5000K	15700
RPT-LEDBLOCK-200L-750-G3	UP TO 400W	124	5000K	20000
RPT-LEDBLOCK-300L-750-G3	UP TO 600W	150	5000K	24000
RPT-LEDBLOCK-400L-750-G3	UP TO 1000W	270	5000K	43000

*See page 2 configurable specification sheet for additional styles, lumen packages, color temperatures and options.



RemPhos by Light Efficient Design
lighting on target

FOR LIGHT EFFICIENT DESIGN PRODUCT INFO CALL Light Efficient Design, a division of TADD, LLC • 188 S. Northwest Highway • Cary, IL • 60013 • 847.380.3540 • led-llc.com
FOR REMPHOS PRODUCT INFO CALL RemPhos by Light Efficient Design • 30 Log Bridge Road, Building 200 • Middleton, MA 01949 • 877.997.3674 • remphos.com

04.XX.18 Information is subject to change without notice.

LEDBLOCK G3 HIGH POWER LED RETROFIT MODULE



PART NUMBER BUILDER

MFR	PRODUCT	LUMENS	COLOR	GEN	OPTIONS
RPT	LEDBLOCK			G3	
		65L	750=5000K/75CRI**		10VDIM
		100L	740=4000K/75CRI		0-10V DIMMABLE
		150L			OCC-HC419S
		200L			Integrated Occupancy sensor (ON/OFF Control)
		300L			10VDIM-OCC-HC419V
		400L*			Integrated Occupancy sensor (bi-level dimming)
					10VDIM-OCC-HC428V/RF
					Integrated Occupancy sensor with wireless grouping
					HV*
					348-480VAC LEDDRIVER
					(dimmmable option is not available)

ORDERING EXAMPLE
RPT-LEDBLOCK-65L-750-G3

* Dimmable option is not available. Kits are stocked with a non-dimmable driver ** 5000K is the the default CCT

ORDERING GUIDE

CASE QTY	QUICK SHIP	DLC	REMPHOS PART #	QUICK SHIP UPC CODE	LUMEN OUTPUT (LM)	WATTAGE (W)	LPW	WARRANTY (YRS)
6	●	▲	RPT-LEDBLOCK-65L-750-G3	844006010089	5100	30	170	10
6	●	▲	RPT-LEDBLOCK-100L-750-G3	844006010096	8850	52	170	10
6	●	▲	RPT-LEDBLOCK-150L-750-G3	844006010102	15700	97	XXX	10
6	●	▲	RPT-LEDBLOCK-200L-750-G3	844006010119	20000	124	XXX	10
6	●	▲	RPT-LEDBLOCK-300L-750-G3	844006010126	24000	150	XXX	10
6	●	▲	RPT-LEDBLOCK-400L-750-G3	844006010133	43000	270	XXX	10

▲ DLC PREMIUM



FOR LIGHT EFFICIENT DESIGN PRODUCT INFO CALL Light Efficient Design, a division of TADD, LLC • 188 S. Northwest Highway • Cary, IL • 60013 • 847.380.3540 • led-llc.com
 FOR REMPHOS PRODUCT INFO CALL RemPhos by Light Efficient Design • 30 Log Bridge Road, Building 200 • Middleton, MA 01949 • 877.997.3674 • remphos.com

04.XX.18 Information is subject to change without notice.


LEDBLOCK G3 HIGH POWER LED RETROFIT MODULE




EASILY RETROFIT THESE FIXTURE STYLES, AND MORE!




WALL PACK



FLOOD LIGHT



SHOE BOX



CANOPY

RemPhos by Light Efficient Design
lighting on target

FOR LIGHT EFFICIENT DESIGN PRODUCT INFO CALL Light Efficient Design, a division of TADD, LLC • 188 S. Northwest Highway • Cary, IL • 60013 • 847.380.3540 • led-llc.com
FOR REMPHOS PRODUCT INFO CALL RemPhos by Light Efficient Design • 30 Log Bridge Road, Building 200 • Middleton, MA 01949 • 877.997.3674 • remphos.com

04.XX.18 Information is subject to change without notice.